Three technologies. One operating ecosystem.

IPL, Q-switch and 808 nm diode laser share a console, not a treatment protocol. Each handpiece has its own hardware, interface path and operating boundaries.



3	9	7	15.6″
DEDICATED TECHNOLOGIES	REPLACEABLE IPL FILTERS	Q-SWITCH PROBES	CAPACITIVE TOUCHSCREEN

> Ranges printed in this pack describe device capability. They are not starting settings or a treatment prescription.


02 / TECHNOLOGY ARCHITECTURE

THREE TECHNOLOGIES

IPL + Q-SWITCH + 808 NM DIODE LASER

IPL


FILTERED PULSED LIGHT



Nine replaceable filters cover 480–750 nm. The IPL handpiece is listed at 1000 W with a 40 × 10 mm spot.

808 NM DIODE


HAIR-REMOVAL HANDPIECE



A dedicated 808 nm handpiece with a 28 × 15 mm spot. Manufacturer artwork lists 10 bar and a −5 °C treatment-tip temperature.

Q-SWITCH

PIGMENT & TATTOO PROGRAMS



A separate Q-switch handpiece uses 1064, 1024, 755 and 532 nm probes. Output is listed at 50–2500 mJ.

> Ranges printed in this pack describe device capability. They are not starting settings or a treatment prescription.

Three systems, one console


IPL, Q-switch and 808 nm diode laser are separated into dedicated handpieces and interface paths.

A visible hardware set

Nine IPL filters, seven Q-switch probes and two rectangular treatment spots make the configuration easy to audit.

03 / HARDWARE SET

HANDLES, FILTERS & PROBES



IPL · 9 FILTERS · 480–750 NM



Q-SWITCH · 7 PROBES · 4 WAVELENGTHS

HANDLES, FILTERS & PROBES

HANDPIECES



IPL handpiece

40 × 10 mm spot · nine filters · 1–50 J/cm² · pulse 1–9 ms · 1–5 Hz



Diode handpiece

808 nm · 28 × 15 mm spot · 1–30 J/cm² · 1–10 Hz



Q-switch handpiece

Four wavelengths · seven listed probes · 50–2500 mJ · 1–6 Hz




A WORKFLOW YOUR TEAM CAN REPEAT

One floor-standing console combines three dedicated handpieces for IPL programs, Q-switch pigment and tattoo programs, and 808 nm diode hair removal. A 15.6-inch capacitive touchscreen keeps each technology on its own operating path.

Professional use only. Operated by trained professionals under the manufacturer's instructions and local regulations. Results vary; no outcome, comfort level or treatment course is guaranteed.

04 / OPERATING WORKFLOW

A WORKFLOW YOUR TEAM CAN REPEAT



INTERFACE ARTWORK · TECHNOLOGY-SPECIFIC SCREENS

A practical guide to the three handpieces, interface, screening, operation boundaries and session records. Built only from the supplied manufacturer material and conservative professional-use controls.

01
Screen and document suitability

02
Select the technology and accessory

03
Set parameters only from an approved protocol

04
Check contact, eye protection and skin response

05
Record settings, area and response



Ranges printed in this pack describe device capability. They are not starting settings or a treatment prescription.

DOCUMENTATION

Model number is not published in the supplied material. Ask for the exact model, serial-number format and certificate coverage before ordering. No certificate in this pack is represented as covering this 3 in 1 model.

Price on request
quoted per order, country and volume

05 / SPECIFICATIONS & QUOTATION

TECHNICAL SPECIFICATIONS

PARAMETER	PUBLISHED VALUE
Machine power	2500 W
Screen	15.6-inch capacitive touchscreen
Diode laser	808 nm · 500 W (10 bar) · 1–30 J/cm² · 1–10 Hz
IPL	1000 W · 480 / 515 / 560 / 570 / 590 / 615 / 640 / 695 / 750 nm · 1–50 J/cm² · pulse 1–9 ms · 1–5 Hz
Q-Switch	500 W · 1064 / 1024 / 755 / 532 nm · 50–2500 mJ · 1–6 Hz
Power supply	AC 220 V / 110 V · 50/60 Hz
Package size	113 × 51 × 49 cm
Net / gross weight	46 kg / 66.8 kg
IPL spot size	40 × 10 mm
Diode spot size	28 × 15 mm
Diode cooling claim	Manufacturer lists 10 bar and −5 °C at the treatment tip
Model / certification	Model number not published · documentation on request, per model

WHAT TO CONFIRM ON THE QUOTATION

— Complete console and three handpieces

— IPL filter set and Q-switch probe set

— Packing list, eye protection and training scope

— Model-specific documentation and service support

DOCUMENTATION

Model number is not published in the supplied material. Ask for the exact model, serial-number format and certificate coverage before ordering. No certificate in this pack is represented as covering this 3 in 1 model.

REQUEST A MODEL-SPECIFIC QUOTATION

Send your country, intended use and annual unit plan. You will receive the configuration, packing list, documentation scope and price tier in writing.

WhatsApp +86 155 5318 0651 · info@kolifu.com · www.kolifu.com

Professional use only. Operated by trained professionals under the manufacturer's instructions and local regulations. Results vary; no outcome, comfort level or treatment course is guaranteed.